

TEXA

# A/C SERVICES

RECOVERY  
RECYCLING  
RECHARGING

**KONFORT** Shop Level Professional A/C Service Stations - Full Automatic Functions

## KONFORT 780 TOUCH

### DUAL R134a / R1234yf

Two Separate 20lb Tanks In Cabinet  
Integrated Refrigerant Identifier

## KONFORT 760 TOUCH

### R1234yf System

20lb Tank - Rear Door Easy Access  
Integrated Refrigerant Identifier

## KONFORT 750R

### R134a System

LARGER 50lb Tank In Cabinet  
9ft Service Hoses - Commercial Vehicles



10 INCH  
Glove Touch  
HD Display  
Android OS



10 INCH  
Glove Touch  
HD Display  
Android OS



## MULTI-BRAND DIAGNOSTICS SPECIALIST

MADE IN ITALY / OEM Partner / OE LEVEL Diagnostic Platform

# KONFORT 780TOUCH

DUAL R134a / R1234yf

10" TOUCHSCREEN  
Glovetouch Sensitivity  
Industrial Display



## DUAL GAS

- Two Separate 20LB Tanks
- Separate Circuit Systems For Recovery / Recycling / Recharging
- Alternate Services On Vehicles Equipped With Refrigerants R134a and R1234yf

## SOFTWARE

Full Automatic Functions  
Simplified Maintenance  
Highest Efficiency - Recovery Over 97%  
Recovered Oil Scale Control  
Auto Compensation Recharge Line Length  
Auto Manage Non-Condensable Gasses  
Auto Maintenance Alarms

# KONFORT 760TOUCH

R1234yf SYSTEM

10" TOUCHSCREEN  
Glovetouch Sensitivity  
Industrial Display



## SINGLE GAS

- Single 20LB Tank
- Airtight Oil Bottles
- Full Auto Service Manager
- Scale Lock / Unlock Device
- Refrigerant Weight Accuracy
- 9ft Service Hoses

## SOFTWARE

Full Automatic Functions  
Simplified Maintenance  
Highest Efficiency - Recovery Over 97%  
Recovered Oil Scale Control  
Auto Compensation Recharge Line Length  
Auto Manage Non-Condensable Gasses  
Auto Maintenance Alarms

# KONFORT 750R

R134a SYSTEM

5.7" TFT DISPLAY  
Multil Language  
Full Color



## HARDWARE

- LARGER 50lb Tank In Cabinet
- 9ft Service Hoses - Commercial Vehicles
- Charging Accuracy +/- 0,5 oz
- High Efficiency - Recovery Over 95%
- 4 CM Double Stage Vacuum Pump

## SOFTWARE

- Full Automatic Functions
- Simplified Maintenance
- Auto Oil Injection - Scale Control
- Recovered Oil Scale Control
- Auto Compensation Recharge Line Length
- Auto Manage Non-Condensable Gasses
- Auto Maintenance Alarms



## THREE SERVICE OPTIONS

- US CARS DATABASE - Vehicle M/M Selection
- CUSTOMIZED SERVICE - Manually Enter Quantity
- myDATABASE - Create Your Own Database

## OPERATING PROCEDURES

- Select Vehicle Make / Model To Start Recharge Process
- Any Possible Issues Indicated By Clear Error Messages
- Refrigerant Scale Operates At Max Error +/-15 Grams (0.52 Oz)
- Forming Gas Leak Detection for Vehicle A/C Systems
- Separate Scale Measures Refrigerant Quantity Recovered
- Accurate Scale Monitors Station Circuits For Possible Leaks
- Routine Maintenance Tasks Changing Oil and Filter-Hydrator



**REPORTS**  
Thermal  
Printer Or  
Workshop  
Printer

### ALWAYS CONNECTED

- Printed Service Reports
- Software / Firmware Updates
- Remote Tech Assistance
- Accessory Tool Use

### KONFORT APP

- Smartphone Connect
- Service Process Status
- Fault Notifications
- Manage Maintenance



## THREE SERVICE OPTIONS

- US CARS DATABASE - Vehicle M/M Selection
- CUSTOMIZED SERVICE - Manually Enter Quantity
- myDATABASE - Create Your Own Database

## OPERATING PROCEDURES

- Select Vehicle Make / Model To Start Recharge Process
- Any Possible Issues Indicated By Clear Error Messages
- Refrigerant Scale Operates At Max Error +/-15 Grams (0.52 Oz)
- Forming Gas Leak Detection for Vehicle A/C Systems
- Separate Scale Measures Refrigerant Quantity Recovered
- Accurate Scale Monitors Station Circuits For Possible Leaks
- Routine Maintenance Tasks Changing Oil and Filter-Hydrator



**REPORTS**  
Thermal  
Printer Or  
Workshop  
Printer

### ALWAYS CONNECTED

- Printed Service Reports
- Software / Firmware Updates
- Remote Tech Assistance
- Accessory Tool Use

### KONFORT APP

- Smartphone Connect
- Service Process Status
- Fault Notifications
- Manage Maintenance



## OPTIONAL THERMAL PRINTER

- Printed Report Of Work Performed After Service
- Confirm Quantity Of Refrigerant Recovered
- Type Of Oil Injected Into The System
- Pressure In A/C System After Recharging

## OPERATING PROCEDURES

- Select Vehicle Make / Model To Start Recharge Process
- Full Automatic Operations Include Oil & UV Tracer Injection
- Any Possible Issues Indicated By Clear Error Messages
- Refrigerant Scale Operates At Max Error +/-5 Grams (0.18 Oz)
- Detect Vehicle A/C System Leaks and Display Warning
- Separate Scale Measures Refrigerant Quantity Recovered
- Accurate Scale Monitors Station Circuits For Possible Leaks
- Routine Maintenance Tasks Changing Oil and Filter-Hydrator



**SD CARD MEMORY**  
Remove For Windows PC  
Updatable Software  
Vehicle Database and  
Maintenance Operations



### KONFORT APP

- Smartphone Connect
- Service Process Status
- Fault Notifications
- Manage Maintenance




KONFORT 760 TOUCH  
KONFORT 780 TOUCH

# OPERATING SYSTEM SOFTWARE

Smart Selection / Keyword Search To Minimize Steps Required To Start A Charging Service



**SINGLE SCREEN** Navigation Menu



**SINGLE SCREEN** Operating Parameters




WiFi Remote Assist / Check Updates




RECOVERY - Status / Remaining Time




VACUUM - Leak Check / Status



OIL INJECTION - Correct Quantity



REFRIGERANT CHARGE - Status




Failure Detection & Error Status



Service Report Easily Saved or Printed

## KONFORT 750R


Automatic Procedures Help Service Sophisticated Vehicle Systems, Including Hybrid




Customize Recovery & Recharge




Display Recovery & Remaining




Highly Accurate Recovery Weight



Easy Select Complete AC Service



Clear Step By Step Messages



Easy Identify All Possible Errors