





MULTI ENVIRONMENT OE LEVEL COVERAGE ADVANCED DIAGNOSTICS / SERVICE RESETS / ADAS CALIBRATION / AC SERVICE

DELUXE FLEET PACKAGE

3 Software License Environments For The Price Of 2



Complete Vehicle Coverage for Diverse Fleets, DOTs, Municipalities, DPWs, Utilities and Large Independent Shops Repairing Many Vehicle Types.

TEXA IDC6 Truck Software
TEXA IDC6 OHW Software
TEXA IDC6 Car Software

Includes Coverage from Passenger Vehicles & Light Duty, to Medium Duty Commercial Vehicles, to Class 8 HD Trucks, Busses, Trailers and Powertrain Functions, to Off Highway Vehicles Including Construction & Agriculture Vehicles









- LIVE DATA & PARAMETERS • GLOBAL SCAN MODULES
- DTC CODES & DETAILS
- MODULE DIAGRAMS

- DIAGNOSTIC REPORTS
 E
- WIRING DIAGRAMS
- INTERACTIVE DATA
- ADAS CALIBRATION
- BIDIRECTIONAL TESTS
- CODING & ADAPTATIONS
- TECHNICAL INFORMATION
- ADVANCED RESETS



日台市市

ADVANCED FLEET COVERAGE

Commercial / Industrial / Agriculture / Construction

HD TRUCK COVERAGE - ALL MAJOR MAKES

AMERICAN HD & BUS

ALEXANDER DENNIS ALLEGRO **BLUE BIRD** CATERPILLAR CHEVROLET E-ONE FODEN FREIGHTLINER INTERNATIONAL **IRIZAR** - Integral **IVECO KENWORTH** MACK MCI PETERBILT STERLING TEMSA VAN HOOL

VOLVO BUS VOLVO TRUCKS WESTERN STAR

AMERICAN MD

CHEVROLET DODGE FORD GMC HINO INTERNATIONAL ISUZU (North America) KENWORTH MITSUBISHI FUSO PETERBILT STERLING UD TRUCKS (NISSAN DIESEL)

POWERTRAIN ALLISON BENDIX CATERPILLAR **CUMMINS DETROIT - MBE** DFUT7 EATON **INTERNATIONAL MERCEDES BENZ** MTU MWM PACCAR SCANIA VOITH **VOLVO PENTA** WABCO ZF

LIGHT COMMERCIAL VEHICLE

DODGE FORD FREIGHTLINER MERCEDES-BENZ NISSAN

TRAILER

THERMO KING BENDIX CARRIER TRANSICOLD HALDEX MERITOR - WABCO WABASH

OFF HIGHWAY COVERAGE - ALL MAJOR MAKES

AGRICULTURAL AGRICULTURAL TRAILER BELARUS **BUHLER VERSATILE** CARRARO CASE IH CATERPILLAR CHALLENGER CLASS. DEUTZ - FAHR DIECI ENERGREEN FARESIN FENDT FRANZ KLEINE GRIMME HURLIMANN **JCB** JOHN DEERE KAMAZ **KRONE**

KUBOTA LAMBORGHINI LANDINI LAVERDA LINDNER MAC DON MANITOU MASSEY FERGUSON McCORMICK **MERLO** NEW HOLLAND RENAULT AGRI ROPA SAME STEYR **URSUS** VALPADANA VALTRA CONSTRUCTION AEBI ASTRA

ATLAS COPCO BELL BOBCAT BOMAG CARRARO CASE CE CATERPILLAR DOOSAN FIAT-KOBELCO GDELS MOWAG HAMM HITACHI HYUNDAI CE JCB JOHN DEERE CE KASSBOHRER GELANDEFAHRZEUG **KOBELCO** KOMATSU KRAMER KUBOTA LIEBHERR

LINK-BELT MERLO **NEW HOLLAND** 0&K **OSHKOSH** PFRI INI PETTIBONE PRINOTH RANDON SANDVIK **SUNWARD** TAKEUCHI TEREX TEREX TRUCKS TIGERCAT VERMEER VOLVO CE WACKER NEUSON **WEBASTO** XTREME YANMAR

CRANE TRUCK / CONTAINER TRUCK COMETTO **CVS FERRARI** FANTUZZI GENIE GROVE HYSTER HYUNDAL JLG KALMAR LIEBHERR LINDE MANITOU OTO SKYJAK TADANO TERBERG TEREX / DEMAG INDUST. ENGINE ALLISON

CATERPILLAR **CUMMINS** DETROIT DEUTZ EBERSPÄCHER FPT (IVECO MOTORS) HINO **IVECO** JOHN DEERE KOHLER **KUBOTA MERCEDES-BENZ** MTU MWM PERKINS SCANIA SISU SULLAIR VM MOTORI **VOLVO PENTA** YANMAR

COMPATIBILITY

Designed to function with IDC6 installed on TEXA AXONE, or any Windows based laptop.

Passenger Vehicles / Light, Medium, Heavy Duty Trucks / Off Highway Vehicles Motorcycle & Powersports Vehicles / Marine & Personal Watercraft

AXONE NEMO LIGHT TRUCK PACKAGE




American Truck "Type II" Cable Secure Carrying Case



ADAS CALIBRATION FLEET COVERAGE

Passenger Vehicles / Light, Medium, Heavy Duty Trucks



IDC6 Truck Offers Step-By-Step Instructions For Vehicles Requiring Dynamic Drive Test Calibrations and Static Calibrations. (Must Include ADAS Truck Kit)

IDC6 SOFTWARE SUBSCRIPTION

Coverage + Technical Data + Support + Warranty



NEW VEHICLE COVERAGE PLUS SOFTWARE DEVELOPMENTS AND MORE



Q

NEW COVERAGE

Stay Current With Regularly Downloaded Software Updates For Latest Vehicle Diagnostic Features

TECHNICAL DATA

Detailed Guided Instructions and Comprehensive Info Confirm Specifications for Service and Repair

EXTENDED WARRANTY

TEXA Hardware Troubleshooting and Repair Support Units Activated With TEXPACK Subscription Coverage

Single screen confirmation of vehicle system and and status. Confirms access authentication for protected vehicle operations and TEXA databases inquiry to locate relevant vehicle information

Al Global Search			💽 Norw Keples 🙆 👝
Condition/2001/2011/04 C	101610 3 Station Wagon (C9W9 (NONW) ((9915-)		
			In diagnosis I have an error CTRIS 00
need for calibration. It is recomm	adaptive cruise control sensor. The cause of the proble ended to perform the adjustment following the specific seconsult the sensice manual for further details and can al	instructions of	
(f) C1103 00 Adaptive cruixe car	tral sensor	de .	

TECHNICAL DATA AND FEATURES MAXIMIZE DIAGNOSTIC ABILITY



TECHNICAL BULLETINS Access Information Documents Archived By Vehicle Complete With Images and Comparative Charts



FULL AI ASSISTANCE

Al Global Search - Advanced System Examination Al Smart Diagnosis - Optimize Repair Troubleshoot



ISUPPORT CALL CENTER Guided Fault Finding Service with Qualified Technical Support Directly From Diagnostic Tool

Technician guide
thru diagnostic
stages. VIN Scan,
control unit scan
for automatic
vehicle selection,
optimize issue
identification and
uggests effective
troubleshooting
for repair and
service options



WARRANTY EXTENSION

• Warranty valid for TEXA hardware packages of tablet + VCI (not PC based) Axone Light, Plus, Voice / TXT Multihub, TXBe, TXB2

S

- TEXA hardware warranty extension will be active as long as TEXPACK subscription renewal activations are uninterrupted
- 30 day grace period for warranty extension based on TEXPACK activation date (no warranty past 30 day TEXPACK expiration)
- Does not cover accidental damages or damage resulting from lack of maintenance, use or abuse by customer
- · Does not cover limited performance by hardware and software obsolescence (Windows OS or Diagnostic Protocols)


MYTEXA PORTAL - MANAGER

Fleet Organization Of Operators, Vehicles and Hardware

The myTEXA Portal Features Include Printing Detailed Diagnostic Reports, Keeping Track of All Diagnostic Sessions, Checking How Many Resets Have Been Performed On Each Truck, Finding Common DTC Codes, and More.


TRACKING DIAGNOSTIC SESSIONS

Graph Options For Diagnostic Sessions. Confirm A Quantity Of Details By Vehicle Or Active Errors, Stored Errors, Or No Errors




TRACKING TEXA EQUIPMENT

Keep Track Of Registered TEXA Equipment By Serial Number and Activation Date



TRACKING OPERATOR ACTIVITY

Displays For Individual Operator The Total Scans Per System and Adjustments Made In Order



REMOTE MAINTENANCE ACCESS

Workshops Constant Monitoring Remotely - Reduce Downtime



Easily Force DPF Regens From Remote Locations

TRUCK DRIVER USE

- Real Time Data Information
- Monitor Driving Style
- Schedule Maintenance Operation
- Remote Vehicle Diagnosis

eTRUCK installed in the vehicle's diagnostic port and easily adjusted, acts as a remote connection between technician and vehicle.

SHOP TECHNICIAN USE

- Monitor Vehicle Status Remotely
- Perform Remote Vehicle Diagnosis
- Share A Calendar Of Appointments
- Manage Customer Fleet Organization
- Create Detailed Customer Profile Library

eTRUCK manages service predictively, to perform adjustment functions which restores optimal vehicle operation.

FLEET MANAGER USE

- Remotely Monitor Fleet Status
- Minimize Downtime / Increase Efficiency
- Organize Vehicle Maintenance History
- Monitor Driver Style & Safety For Rewards
- Create Detailed Customer Profile Library

eTRUCK provides constant monitoring and updates of vehicle condition by connection of the dedicated app and management portal.





eTRUCK APP

Android & IOS Devices







CUSTOMIZED APPLICATION INTERFACE

Organize Your Fleet Maintenance In House


TEXA Provides A Custom Branded And Organized Interface Solution For Professional Appearance While Managing Your Maintenance Plan

SHOP DIAGNOSTICS API




TEXA SUPPORTED CUSTOMIZATION


FLEET MAINTENANCE API



TEXA SUPPORTED CUSTOMIZATION



CUSTOMER SDK CUSTOMIZATION



KONFORT AC SERVICE STATIONS

Fully Automatic - Recovery / Recycling / Recharging

KONFORT 780 TOUCH

DUAL R134a / R1234yf

TWO Separate 20lb Tanks In Cabinet Integrated Refrigerant Identifier

K<u>onfort 760 tou</u>ch

R1234yf System

20lb Tank - Rear Door Easy Access Integrated Refrigerant Identifier

KONFORT 750R

R134a System

LARGER 50lb Tank In Cabinet 9ft Service Hoses For COMMERCIAL VEHICLES



780 TOUCH / 760 TOUCH

- Full Automatic Functions
- Remote Access Service & Support
- WiFi and BT Connectivity
- Integrated Vehicle Database
- WiFi Updates and Report Printing
- 9ft Service Hoses

KONFORT 750R

- Full Automatic Functions
- SD Card for Service & Vehicle Database
- Color TFT Display Multi Language
- 4 CFM Double Stage Vacuum Pump
- Charging Accuracy High Efficiency
- Simplified Maintenance

теха

FORMING GAS CART KIT

ACCURATE & EFFICIENT AC SYSTEM LEAK DETECTION

FORMING GAS CART TTF 700

- Dimensions: 1180x590x668 mm; Weight: 24.5 kg
- Suitable for A/C systems: R134a, R1234yf, R744
- Forming Gas tanks* supported up to 20 L
- Maximum pressure: 20 bar for R134a and R1234yf; 100 bar for R744
- Equipped with safety valve that opens completely in case the operating value is reached
- Manometer 100 bar, 100 mm CL1
- Service hoses: R134a (LP/HP) 3 m; R1234yf (LP/HP) 2.5 m; R744 (LP/ HP) 2.5 m; Forming Gas tank 2.5 m
- Forming Gas tank pressure reducer: input operating pressure max 300 bar; output pressure max 100 bar
- Safety belt to secure the tank to the cart
- Forming Gas tank (sold separately / not included)

FORMING GAS CASE

- Dimensions: 470x350x190 mm; Weight: 7 kg
- Set of adapters for the coupling of the Forming Gas tank
- Forming Gas tank pressure reducer: -- input operating pressure 300 bar max, output 100 bar max
- Connection kit for KONFORT 760 Touch / 780 Touch
- -- including: 150 mm hose, evacuation valve, safety valve
- Teflon seals

606606



FORMING GAS LEAK DETECTOR

- H2 measurement spectrum: from 0 to 2000 ppm
- Response threshold: the hydrogen concentration is measured in increases of 1 ppm
- Reaction time: 14 s
- The measuring sensor is positioned at the end of a flexible extension that is 200 mm in length.
- The tool also provides a visual and acoustic feedback about the hydrogen concentration
- Power supply: 2 x 1.5 V Mignon /AA
- Battery life: approx. 6 h (typical)

Charge any system type with the Forming Gas at the desired pressure. Use the portable H2 Detect, to easily detect any hydrogen leak in the system.



TRUSTED OE MANUFACTURING PARTNER

Industry Leading Supplier & Diagnostic Provider



MADE IN ITALY / OEM Partner / OE LEVEL Diagnostic Platform



Equipment Assembly & Programming



Advanced Product Testing & Certification



Post Product Sale Technical Support



Award Winning TEXA EDU Training Support



NORTHAMERICA@TEXA.COM

MADE IN ITALY / OEM PARTNER

WWW.TEXAUSA.COM

