





MULTI ENVIRONMENT OE LEVEL COVERAGE ADVANCED DIAGNOSTICS / SERVICE RESETS / ADAS CALIBRATION / AC SERVICE TEXA

TRUSTED OE MANUFACTURING PARTNER

Industry Leading Supplier & Diagnostic Provider



MADE IN ITALY / OEM Partner / OE LEVEL Diagnostic Platform



Equipment Assembly & Programming



Advanced Product Testing & Certification



Post Product Sale Technical Support



Award Winning TEXA EDU Training Support



Hardware & Software For Professional Technicians





13" Gorilla Glass Screen Magnesium Internal Casing 512gb SSD HD - 16gb RAM Dual Band WiFi - Bluetooth 5.1

DEALER LEVEL FLEET DIAGNOSTICS

RP1210, CanFD, DoIP, K-L, J2534, J1708, J1850, J1939 Ethernet, WiFi, Bluetooth, USB



TEXA

24.2v Max. 24. Min. 23.6 a DIACNOSIS

MULTINUE

Backlit Display Advanced Protocols Auto Chanel Selection **Greater Security Connection**

DELUXE FLEET PACKAGE

3 Software License Environments For The Price Of 2



Complete Vehicle Coverage for Diverse Fleets, DOTs, Municipalities, DPWs, Utilities and Large Independent Shops Repairing Many Vehicle Types.

- TEXA IDC6 Truck Software
- TEXA IDC6 OHW Software
- TEXA IDC6 Car Software

Includes Coverage from Passenger Vehicles & Light Duty, to Medium Duty Commercial Vehicles, to Class 8 HD Trucks, Busses, Trailers and Powertrain Functions, to Off Higway Vehicles Including Construction & Agriculture Vehicles









日日日本



• LIVE DATA & PARAMETERS GLOBAL SCAN MODULES DTC CODES & DETAILS

 DIAGNOSTIC REPORTS WIRING DIAGRAMS INTERACTIVE DATA ADAS CALIBRATION

 BIDIRECTIONAL TESTS CODING & ADAPTATIONS TECHNICAL INFORMATION ADVANCED RESETS

TEXA

HD TRUCK COVERAGE - ALL MAJOR MAKES

AMERICAN HD & BUS
ALEXANDER DENNIS
ALLEGRO
BLUE BIRD
CATERPILLAR
CHEVROLET
E-ONE
FODEN
FREIGHTLINER
INTERNATIONAL
IRIZAR - Integral
IVECO
KENWORTH
MACK
MCI
PETERBILT
STERLING
TEMSA
VAN HOOL

VOLVO BUS **VOLVO TRUCKS** WESTERN STAR

AMERICAN MD

CHEVROLET DODGE FORD GMC HINO INTERNATIONAL ISUZU (North America) KENWORTH MITSUBISHI FUSO PETERBILT STERLING UD TRUCKS (NISSAN DIESEL)

OFF HIGHWAY COVERAGE - ALL MAJOR MAKES

AGRICULTURAL AGRICULTURAL TRAILER BELARUS BUHLER VERSATILE CARRARO CASE IH CATERPILLAR CHALLENGER CLASS DEUTZ - FAHR DIECI ENERGREEN FARESIN FENDT FRANZ KLEINE GRIMME HURLIMANN JCB	LAMBORGHINI LANDINI LAVERDA LINDNER MAC DON MANITOU MASSEY FERGUSON McCORMICK MERLO NEW HOLLAND RENAULT AGRI ROPA SAME STEYR URSUS VALPADANA VALTRA
JOHN DEERE	CONSTRUCTION
KAMAZ	AEBI
KRONE	ASTRA

ATLAS COPCO BELL BOBCAT BOMAG CARRARO CASE CE CATERPILLAR DOOSAN FIAT-KOBELCO **GDELS MOWAG** HAMM HITACHI HYUNDAI CE JCB JOHN DEERE CE **KASSBOHRER** GELANDEFAHRZEUG KOBELCO KOMATSU KRAMER KUBOTA

LIEBHERR

COMPATIBILITY

Designed to function with IDC6 installed on TEXA AXONE, or any Windows based laptop.

Passenger Vehicles / Light, Medium, Heavy Duty Trucks / Off Highway Vehicles Motorcycle & Powersports Vehicles / Marine & Personal Watercraft

MODULE DIAGRAMS

ADVANCED FLEET COVERAGE

Commercial / Industrial / Agriculture / Construction

POWERTRAIN

ALLISON BENDIX CATERPILLAR CUMMINS DETROIT - MBE DEUTZ EATON INTERNATIONAL MERCEDES BENZ MTU MWM PACCAR SCANIA VOITH VOLVO PENTA WABCO ZF

LIGHT COMMERCIAL VEHICLE DODGE

FORD FREIGHTLINER MERCEDES-BENZ NISSAN

TRAILER

THERMO KING BENDIX CARRIER TRANSICOLD HALDEX **MERITOR - WABCO** WABASH

LINK-BELT MERLO NEW HOLLAND 0&K OSHKOSH PFRI INI PETTIBONE PRINOTH RANDON SANDVIK SUNWARD TAKEUCHI TEREX TEREX TRUCKS TIGERCAT VERMEER VOLVO CE WACKER NEUSON WEBASTO **XTREME** YANMAR

CRANE TRUCK / CONTAINER TRUCK

COMETTO **CVS FERRARI** FANTUZZI GENIE GROVE HYSTER HYUNDAI JLG KALMAR LIEBHERR LINDE MANITOU OTO SKYJAK TADANO TERBERG TEREX / DEMAG

INDUST. ENGINE ALLISON

CATERPILLAR CUMMINS DETROIT DEUTZ EBERSPÄCHER FPT (IVECO MOTORS) HINO ISUZU IVECO JOHN DEERE KOHLER KUBOTA MERCEDES-BENZ MTU MWM PERKINS SCANIA SISU SULLAIR **VM MOTORI VOLVO PENTA** YANMAR

IDC6 SOFTWARE SUBSCRIPTION

Coverage + Technical Data + Support + Warranty

1YR **SUBSCRIPTION TEXPACK** TEXA



NEW VEHICLE COVERAGE PLUS SOFTWARE DEVELOPMENTS AND MORE

A

2

NEW COVERAGE


Stay Current With Regularly Downloaded Software Updates For Latest Vehicle Diagnostic Features

TECHNICAL DATA

Detailed Guided Instructions and Comprehensive Info Confirm Specifications for Service and Repair

EXTENDED WARRANTY

TEXA Hardware Troubleshooting and Repair Support Units Activated With TEXPACK Subscription Coverage



AI GLOBAL SEARCH				
Al Global Search Al 0 2 Ad Mid Bendeled Awa 2 124/170 2 Sprine Name (2009 100481 (0015-)	• Nove Tables (a) (0)			
AUX 3: AL(5) (3002/004) Aux 3: 2019 32: 3: Solina Nagari (2009 20208) (30(3))	In diagnosis 1 have an error CTI03 00			
Error code CR03 30 refers to the adaptive cruise control sensor. The cause of the problem may be the need for calibration. It is recommended to perform the adjustment following the specific instructions of				
the left and right from rade. Please consult the service manual for further details and carefully follow the instructions of the diagnostic tool (1) CPR136 Advances online content services (1) and				
(1) CTRES 20 Adaptive coulter control sensor 가운 수 있다.				
And that a generalized	📼 🌲 📐			

Technician guide thru diagnostic stages. VIN Scan, control unit scan for automatic	
vehicle selection, optimize issue identification and	
suggests effective troubleshooting for repair and	
service ontions	

	() TOAL M	ECU INIO				
anna pone soph drok		the set of the se	nt bumper, is negoralb troi unit. If there is a fau or or an issue with the p n Ultrassonic Sensor: Dro Marning Control Unit: 1 djuttments II you repli	In for detecting obstacle at detected, it may be do over circuit, writ there are no physica ierly that it is functionin	s and sending signals to set to a failure of the i damages or g correctly, correctly,	

WARRANTY EXTENSION

- Warranty valid for TEXA hardware packages of tablet + VCI (not PC based) Axone Light, Plus, Voice / TXT Multihub, TXBe, TXB2
- TEXA hardware warranty extension will be active as long as TEXPACK subscription renewal activations are uninterrupted
- · 30 day grace period for warranty extension based on TEXPACK activation date (no warranty past 30 day TEXPACK expiration)
- · Does not cover accidental damages or damage resulting from lack of maintenance, use or abuse by customer
- Does not cover limited performance by hardware and software obsolescence (Windows OS or Diagnostic Protocols)

INFO

1YR SUBSCRIPTION

TEX@INFO

TEXA

TECHNICAL DATA AND FEATURES MAXIMIZE DIAGNOSTIC ABILITY



TECHNICAL BULLETINS Access Information Documents Archived By Vehicle Complete With Images and Comparative Charts



FULL AI ASSISTANCE AI Global Search - Advanced System Examination Al Smart Diagnosis - Optimize Repair Troubleshoot



iSUPPORT CALL CENTER Guided Fault Finding Service with Qualified Technical Support Directly From Diagnostic Tool

TEXA

The myTEXA Portal Features Include Printing Detailed Diagnostic Reports, Keeping Track of All Diagnostic Sessions, Checking How Many Resets Have Been Performed On Each Truck, Finding Common DTC Codes, and More.

TRACKING DIAGNOSTIC **SESSIONS**

Graph Options For Diagnostic Sessions. Confirm A Quantity Of Details By Vehicle Or Active Errors, Stored Errors, Or No Errors

TRACKING **TEXA EQUIPMENT**


Keep Track Of Registered TEXA Equipment By Serial Number and Activation Date


TRACKING **OPERATOR** ACTIVITY

Displays For Individual Operator The Total Scans Per System and Adjustments Made In Order

MYTEXA PORTAL - MANAGER

Fleet Organization Of Operators, Vehicles and Hardware





REMOTE MAINTENANCE ACCESS


Workshops Constant Monitoring Remotely - Reduce Downtime

TEXA

Organize Your Fleet Maintenance In House

TEXA Provides A Custom Branded And Organized Interface Solution For Professional Appearance While Managing Your Maintenance Plan

NO ADDITIONAL CUSTOMIZATION




FLEET MAINTENANCE API

NO ADDITIONAL CUSTOMIZATION



CUSTOMER SDK CUSTOMIZATION





TRUCK DRIVER USE

- Real Time Data Information
- Monitor Driving Style
- Schedule Maintenance Operation
- Remote Vehicle Diagnosis

eTRUCK installed in the vehicle's diagnostic port and easily adjusted, acts as a remote connection between technician and vehicle.

SHOP TECHNICIAN USE


- Monitor Vehicle Status Remotely
- Perform Remote Vehicle Diagnosis
- Share A Calendar Of Appointments
- Manage Customer Fleet Organization
- Create Detailed Customer Profile Library


eTRUCK manages service predictively, to perform adjustment functions which restores optimal vehicle operation.

FLEET MANAGER USE

- Remotely Monitor Fleet Status
- Minimize Downtime / Increase Effiency
- Organize Vehicle Maintenance History
- Monitor Driver Style & Safety For Rewards
- Create Detailed Customer Profile Library

eTRUCK provides constant monitoring and updates of vehicle condition by connection of the dedicated app and management portal.







eTRUCK APP

₽<u>0</u>



Easily Force

DPF Regens

From Remote

Locations



CUSTOMIZED APPLICATION INTERFACE

SHOP DIAGNOSTICS API

TEXA SUPPORTED CUSTOMIZATION

TEXA

KONFORT AC SERVICE STATIONS

Fully Automatic - Recovery / Recycling / Recharging

TEXA

KONFORT 780 TOUCH DUAL R134a / R1234yf

KONFORT 760 TOUCH R1234yf System

TWO Separate 20lb Tanks In Cabinet **Integrated Refrigerant Identifier**

20lb Tank - Rear Door Easy Access **Integrated Refrigerant Identifier**

KONFORT 750R

R134a System

LARGER 50lb Tank In Cabinet 9ft Service Hoses For COMMERCIAL VEHICLES



780 TOUCH / 760 TOUCH

- Full Automatic Functions
- Remote Access Service & Support
- WiFi and BT Connectivity
- Integrated Vehicle Database
- WiFi Updates and Report Printing
- 9ft Service Hoses

KONFORT 750R

- Full Automatic Functions
- SD Card for Service & Vehicle Database
- Color TFT Display Multi Language
- 4 CFM Double Stage Vacuum Pump
- Charging Accuracy High Efficiency
- Simplified Maintenance

FORMING GAS CART TTF 700

- Dimensions: 1180x590x668 mm; Weight: 24.5 kg
- Suitable for A/C systems: R134a, R1234yf, R744
- Forming Gas tanks* supported up to 20 L
- Maximum pressure: 20 bar for R134a and R1234yf; 100 bar for R744
- Equipped with safety valve that opens completely in case the operating value is reached
- Manometer 100 bar, 100 mm CL1
- Service hoses: R134a (LP/HP) 3 m; R1234yf (LP/HP) 2.5 m; R744 (LP/ HP) 2.5 m; Forming Gas tank 2.5 m
- Forming Gas tank pressure reducer: input operating pressure max 300 bar; output pressure max 100 bar
- Safety belt to secure the tank to the cart
- Forming Gas tank (sold separately / not included)

- Dimensions: 470x350x190 mm; Weight: 7 kg
- Set of adapters for the coupling of the Forming Gas tank
- Forming Gas tank pressure reducer:
- -- input operating pressure 300 bar max, output 100 bar max
- Connection kit for KONFORT 760 Touch / 780 Touch
- -- including: 150 mm hose, evacuation valve, safety valve
- Teflon seals



- H2 measurement spectrum: from 0 to 2000 ppm
- Reaction time: 14 s

- Power supply: 2 x 1.5 V Mignon /AA

Charge any system type with the Forming Gas at the desired pressure. Use the portable H2 Detect, to easily detect any hydrogen leak in the system.

- the hydrogen concentration
- Battery life: approx. 6 h (typical)

FORMING GAS CART KIT


ACCURATE & EFFICIENT AC SYSTEM LEAK DETECTION

FORMING GASE CASE



FORMING GAS LEAK DETECTOR

- Response threshold: the hydrogen concentration is
- measured in increases of 1 ppm
- The measuring sensor is positioned at the end of a flexible
- extension that is 200 mm in length.
- The tool also provides a visual and acoustic feedback about



Drive Test Calibrations and Static Calibrations. (Must Include ADAS Truck Kit)

AXONE PLUS CAR DIAGNOSTICS PACKAGE

Professional Car Diagnostics For All Technicians

RP1210, CanFD, DoIP, K-L, J2534, J1708, J1850, J1939 Ethernet, WiFi, Bluetooth, USB




TXT Multihub

Backlit Display Advanced Protocols Auto Chanel Selection **Greater Security Connection**



Carrying Case Keeps your Tablet & VCI secure





TEXA

TEXA





MADE IN ITALY / OEM PARTNER